

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

## 1 Identification

- · Product Identifier
- · Trade Name: Auto Dish Tabs, Beyond
- · Product Number: 91982
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Automatic dishwashing tabs
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Cleanfinity

1611 Sunset Road

Port Washington, WI 53074

P: (262) 284-6600

http://cleanfinitybrands.com

· Emergency telephone number: 1-800-424-9300 (CHEMTREC, 24 Hours)

## 2 Hazard(s) Identification

· Classification of the substance or mixture:



Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements:
- · Hazard pictograms:



- · Signal word: Warning
- · Hazard-determining components of labeling:

Sodium percarbonate

Subtilisin

· Hazard statements:

H319 Causes serious eye irritation.

· Precautionary statements:

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

10 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

· HMIS-ratings (scale 0 - 4)



· Hazard(s) not otherwise classified (HNOC): None known

## 3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Non-Regulated Material

· Dangerous Components:			
CAS: 497-19-8	Sodium carbonate	>25%	
	💠 Eye Irrit. 2A, H319		
CAS: 15630-89-4	Sodium percarbonate	10-25%	
	♠ Ox. Sol. 2, H272; ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; STOT SE 3, H335		
CAS: 77-92-9	Citric Acid	2.5-10%	
RTECS: GE 7350000	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
CAS: 1344-09-8	Silicic acid, sodium salt	2.5-10%	
	① Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
CAS: 68439-49-6	Ceteareth-25	2.5-10%	
	4 Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
CAS: 9014-01-1	Subtilisin	≤2.5%	
RTECS: CO 9550000	♦ Resp. Sens. 1, H334; ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335		

### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

- · After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- · After skin contact: Generally, the product does not irritate the skin.
- · After eye contact:

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

(Contd. on page 3)





OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

## 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:				
497-19-8	Sodium carbonate	7.6 mg/m <sup>3</sup>		
1344-09-8	Silicic acid, sodium salt	5.9 mg/m <sup>3</sup>		
68439-49-6	Ceteareth-25 3.8 m			
PAC-2:				
497-19-8	Sodium carbonate	83 mg/m <sup>3</sup>		
1344-09-8	Silicic acid, sodium salt			
68439-49-6	Ceteareth-25			
PAC-3:				
497-19-8	Sodium carbonate	500 mg/m <sup>3</sup>		
1344-09-8	Silicic acid, sodium salt	390 mg/m <sup>3</sup>		
68439-49-6 Ceteareth-25		250 mg/m <sup>3</sup>		

## 7 Handling and Storage

- · Handlina
- · Precautions for safe handling: Do not eat, drink or smoke while using product.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.



OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

- · Information about storage in one common storage facility: Store away from water.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 9014-01-1 Subtilisin

REL | Short-term value: 0.00006\* mg/m<sup>3</sup>

\*60-min

TLV Ceiling limit value: 0.00006 mg/m³ as 100% crystalline active pure enzyme

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Safety glasses

· Limitation and supervision of exposure into the environment: None

## 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid Color: Various

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: alkaline

· Change in condition

Melting point/Melting range: Not determined.
Boiling point/Boiling range: Not determined.

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

• **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Vapor pressure: Not determined.

· Density:

Relative density:

Vapor density:

Not determined.

Not determined.

Evaporation rate:

Not determined.

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 VOC content:
 0.00 %

 Solids content:
 99.6 %

· Other information: No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

House toxiony.				
LD/LC50 values that are relevant for classification:				
497-19-8 Sodium carbonate				
Oral	LD50	4,090 mg/kg (Rat)		
Inhalative	LC50/96 hours	300 mg/l (Fathead Minnow)		
15630-89-4 Sodium percarbonate				
Oral	LD50	2,200 mg/kg (Mouse)		
		2,400 mg/kg (Rat)		
77-92-9 C	itric Acid			
Oral	LD50	5,040 mg/kg (Mouse)		
		5,400 mg/kg (Rat)		
Dermal	LD50	>2,000 mg/kg (Rat)		
	LC50/48 hrs	440 mg/l (Daphnia)		
1344-09-8 Silicic acid, sodium salt				
Oral	LD50	>2,000 mg/kg (Rat)		
Dermal	LD50	>4,640 mg/kg (Rabbit)		
9014-01-1 Subtilisin				
Oral	LD50	3,700 mg/kg (Rat)		

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye:

Strong irritant with the danger of severe eye injury.

Irritating effect.

- · Sensitization: Sensitization possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

(Contd. on page 7)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

## 12 Ecological Information

· Toxicity:

· Aquatic toxicity:

497-19-8 Sodium carbonate

EC50 227 mg/l (Daphnia)

77-92-9 Citric Acid

EC50 1,534 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

DOT, IMDG, IATA Non-Regulated Material

· **ADR/ADN** UN-

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.
Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

(Contd. on page 8)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

· UN "Model Regulation": Non-Regulated Material

## 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients are listed.

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

None of the ingredients are listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Right-to-Know List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/09/2019 Reviewed on 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

## · Hazard pictograms:



· Signal word: Warning

## · Hazard-determining components of labeling:

Sodium percarbonate

Subtilisin

#### · Hazard statements:

H319 Causes serious eye irritation.

### · Precautionary statements:

Wash thoroughly after handling. P264 P280 Wear eve protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of last revision/ revision number: 07/09/2019 / 1
- Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Ox. Sol. 2: Oxidizing solids - Category 2 Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A





Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 07/09/2019 Issue date 07/09/2019

Trade Name: Auto Dish Tabs, Beyond

Resp. Sens. 1: Respiratory sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106